

2024

DISCOVER TEGERA® SAFETY GLOVES



■ TEGERA®

WELDING GLOVES



PROTECTING HANDS AND FEET

ejendals

TEGERA® 19

Protects against hot objects

Long-lasting performance and high anti-burn protection, for welding jobs. All day comfort thanks to the flexible split cowhide. Cotton jersey liner inside the glove for better sweat management. Reinforced seams for extra durability. Elasticated wrist for better fit.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. III
SIZES 8, 9, 10, 11
LENGTH 320-365 mm
PALM MATERIAL Split cowhide of top quality

BACK MATERIAL Split cowhide of top quality
LINING Fully lined
LINING MATERIAL Jersey
PAIRS PER: BUNDLE/CARTON 6/60



EN 12477:2001+A1:2005
 EN 407:2020 41334X
 EN 388:2016+A1:2018 2144X
 EN ISO 21420:2020
 EN 1149-2:1997 Type A
 R > 1,0 x 10⁵ Ω

TEGERA® 19 LEFT

Left-hand glove for welding

Left-hand welding glove, lined with cotton jersey for good comfort and better sweat management. Protects your hands from hot objects. Made of nut split leather with reinforced seams for extra durability. Elastic wrist for a better fit.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. III
SIZES 10
LENGTH 350 mm
PALM MATERIAL Split cowhide of top quality

BACK MATERIAL Split cowhide of top quality
LINING Fully lined
LINING MATERIAL Jersey
PIECES PER: BUNDLE/CARTON 6/120



EN 12477:2001+A1:2005
 EN 407:2020 41334X
 EN 388:2016+A1:2018 2144X
 EN ISO 21420:2020
 EN 1149-2:1997 Type A
 R > 1,0 x 10⁵ Ω

TEGERA® 126A

Superior precision for TIG welding

High quality leather glove with superior comfort, flexibility, and Kevlar® seams for extra durability. The glove is an industry benchmark for TIG welding. Long cuff provides extra protection against molten splash. Elasticated wrist for better fit, unlined for extra tactility and precision.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. III
SIZES 7, 8, 9, 10, 11
LENGTH 310-350 mm

PALM MATERIAL Full grain goatskin of top quality
BACK MATERIAL Full grain goatskin of top quality
LINING Unlined
PAIRS PER: BUNDLE/CARTON 12/60



EN 12477:2001+A1:2005
 EN 407:2004 412X4X
 EN 388:2016 2111X
 EN 420:2003 +A1:2009
 EN 1149-2:1997 Type B
 R:2.55x10⁶Ω

■ TEGERA® 130A

Protection and control all day

A robust welding (TIG) and heat-resistant glove in high-quality full-grain goatskin with Kevlar® seams. Great protection against abrasion. Withstands contact heat up to 100°C/212°F. The glove features a reinforced index finger, reinforced seams, excellent fingertip sensitivity, a comfortable fit, and a high level of protection. It also withstands welding sparks and grinding splashes.

TYPE Heat protection gloves, Welding gloves

CATEGORY Cat. III

SIZES 6, 7, 8, 9, 10, 11

LENGTH 300-350 mm

PALM MATERIAL Full grain goatskin

BACK MATERIAL Full grain goatskin

LINING Unlined

PAIRS PER: BUNDLE/CARTON 12/60



EN 12477:2001+A1:2005



EN 407:2020
412X4X



EN 388:2016+A1:2018
2121X

EN ISO 21420:2020

EN 1149-2:1997
R > 1,0 x10⁶ Ω

Type B

■ TEGERA® 132A

Welding glove with cut resistance C

Top quality MIG welding glove for heat and cut protection (C) made of top-quality heat resistant full grain goat suede and premium heat resistant cow split. Perfect for work where both heat protection and cut protection are needed. Reinforced seams in KEVLAR® fiber, water, and oil repellent, for all-round work. Cuff increases comfort and prevents dirt from entering the glove.

TYPE Cut resistant gloves, Heat protection gloves,

Welding gloves

CATEGORY Cat. III

SIZES 7, 8, 9, 10, 11, 12, 13

LENGTH 310-370 mm

PALM MATERIAL Heat-resistant and water-repellent

premium reversed goat suede

BACK MATERIAL Heat-resistant and water-repellent

premium reversed goat suede

LINING Fully lined

LINING MATERIAL KEVLAR® fiber

PAIRS PER: BUNDLE/CARTON 12/60



Kevlar®



EN 12477:2001+A1:2005



EN 407:2004
41324X



EN 388:2016
3X22C

EN 420:2003
+A1:2009

EN 1149-2:1997
R:0.130x10⁶ Ω

Type A

■ TEGERA® 134

Superior for welding and cut protection

Superior welding and cut protection glove for heavy-duty jobs. Thin full grain goat suede provides excellent facility. KEVLAR® liner inside the glove for extra heat and cut protection. Specially treated leather for work in slightly wet and oily applications. Elasticated wrist for better fit. KEVLAR® seams and black colour for added durability and extended product life. The back of the hand is reinforced with NOMEX®.

TYPE Cut resistant gloves, Heat protection gloves,

Welding gloves

CATEGORY Cat. III

SIZES 7, 8, 9, 10, 11

LENGTH 395 mm

PALM MATERIAL Heat-resistant and water-repellent

premium reversed goat suede

BACK MATERIAL Heat-resistant and water-repellent

premium reversed goat suede

LINING Fully lined

LINING MATERIAL KEVLAR® fiber, Nomex®

PAIRS PER: BUNDLE/CARTON 6/60



Kevlar®



EN 12477:2001+A1:2005



EN 407:2020
41334X



EN 388:2016+A1:2018
3X22C

EN ISO 21420:2020

EN 1149-2:1997
R > 1,0 x10⁶ Ω

Type A

TEGERA® 8

Index finger reinforced MIG welding glove

Compliant, MIG welding glove with palm in full-grain cowhide. The glove withstands contact heat up to 100°C/212°F, has reinforced seams with heat-resistant sewing thread and reinforced index finger. It also withstands welding sparks and grinding splatter.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. II
SIZES 8, 10
LENGTH 330-360 mm

PALM MATERIAL Full grain cowhide
BACK MATERIAL Split cowhide
LINING Unlined
PAIRS PER: BUNDLE/CARTON 6/60



Cat. II EN 12477:2001+A1:2005
 EN 407:2020 41224X
 EN 388:2016+A1:2018 2121X
 EN ISO 21420:2020
 EN 1149-2:1997 Type B
 R > 1,0 x 10⁶ Ω

TEGERA® 118A

Withstands welding sparks and splash

Strong and robust unlined welding and heat-resistant glove in full grain goatskin and split cowhide. Withstands welding sparks, grinding splash, and contact heat up to 100°. Reinforced KEVLAR® seams and index finger. Perfect for welding work.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. III
SIZES 7, 8, 9, 10, 11, 12
LENGTH 310-360 mm

PALM MATERIAL Full grain goatskin
BACK MATERIAL Split cowhide
LINING Unlined
PAIRS PER: BUNDLE/CARTON 12/60



EN 12477:2001+A1:2005
 EN 407:2020 412X4X
 EN 388:2016+A1:2018 3121X
 EN ISO 21420:2020
 EN 1149-2:1997 Type B
 R > 1,0 x 10⁶ Ω

TEGERA® 11CVA

Top quality chrome free welding glove


Top quality leather welding glove in full grain goatskin for work where good heat protection, good fingertip sensitivity, and good fit are required. Withstands contact heat up to 100°C/212°F. Chrome-free tanning, reinforced KEVLAR® seams, and water repellent leather. Perfect for engineering, metalwork, welding, hot work, and mining.

TYPE Heat protection gloves, Welding gloves
CATEGORY Cat. III
SIZES 8, 10, 11
LENGTH 320-350 mm

PALM MATERIAL Full grain goatskin of top quality
BACK MATERIAL Full grain goatskin of top quality
PAIRS PER: BUNDLE/CARTON 12/60



EN 12477:2001+A1:2005
 EN 407:2004 412X4X
 EN 388:2016+A1:2018 2121X
 EN 420:2003 +A1:2009
 EN 1149-2:1997 Type B
 R:0.38x10⁶Ω



Reducing the risk of preventable injuries

At Ejendals, we have a long history of reducing the risk of preventable injuries to hands and feet. We've been doing it for over 75 years.

Statistics show that injuries to hands and feet are the most common injuries requiring sick leaves longer than three days. With the right PPE equipment, many of these injuries are preventable.

Investments in quality hand and foot protection result in fewer occupational injuries, improved levels of endurance and increased productivity, ultimately leading to lower overall costs.

GLOVE SIZES: COLOUR CODING

4 3X-SMALL	5 XX-SMALL	6 X-SMALL	7 SMALL	8 MEDIUM	9 LARGE
10 X-LARGE	11 XX-LARGE	12 3X-LARGE	13 4X-LARGE	14 5X-LARGE	15 6X-LARGE



FLT Company DOO
Industrijska 3D
34000 Kragujevac
Srbija
+381 34 354 861
info@fltcompany.rs

Nikola Pejčinović
+381 65 282 284 8
nikolapejcinovic.flt@gmail.com

Mileta Jovanović
Centralna Srbija
+381 65 988 566 2
mileta.jovanovic@fltcompany.rs

Petar Mandić
Vojvodina i Beograd
+381 65 988 566 1
petar.mandic@fltcompany.rs

Milovan Mladenović
Južna Srbija
+381 65 988 566 3
milovan.mladenovic@fltcompany.rs